

CERTIFICATE OF CONFORMITY**23 – НУРВСПЦРБ – PL – 032 - 44**

Issued pursuant to Art. 14, par.1 and/or par.2 of Ordinance № RD-02-20-1 from 05.02.2015 on the terms and the conditions for the use of construction products in the construction works of the Republic of Bulgaria of the Ministry of Regional Development and Public Works for the construction product

MULTILAYER „M“ PIPES
from polyethylene of raised temperature resistance (PE-RT)
trademark “Radopress”

Designed for hot and cold installations inside buildings and for heating installations with dimensions, product range, application class, working pressure and evaluated characteristics in accordance with Annex № 1 to this Certificate

Released on the market by:
“PIPELIFE BULGARIA“ EOOD
3 Industrialna Street, Botevgrad, Bulgaria

Produced by:
Pipelife Hungária Műanyagipari Kft.
Hungary - 4031 Debrecen, Kishegyesi út 263

This Certificate certifies that the product's characteristics have been evaluated according to

BDS EN ISO 21003-2:2008
BDS EN ISO 21003-2:2008/ NA:2013

and conform to the national requirements, defined in
*point 19 from Annex № 2 to item 2 of Order № ПД-02-14-1329 from 03.12.2015 of the Minister of the
Regional Development and Public Works,
amended and supplemented by Order № 02-14-590 from 05.07.2017*

The Certificate was issued for the first time on **13.05.2020**, **reissued on 13.05.2023** and remains valid until **12.05.2026**, provided that the producer ensures consistency of product characteristics and the conditions of production or production control have not been changed significantly.

Place of issuance: Sofia
Date: 13.05.2023

CEO:
(Dipl. Ing. Alexander Marinchev)

BULAQUA STANDART

This certificate includes 1 Annex of 1 page, which is an integral part of the same.

Annex №1
to Certificate of conformity № 23 – HYPBCПCПБ – PL – 032 – 44
issued on 13.05.2023 and valid until 12.05.2026
1. Product range, dimensions, class and working pressure

Product range	DN, mm	Class	Working pressure PN, bar	SDR
Multilayer „M“ pipes from PE-RT/Al/PE-RT	16/ 18/ 20	2/ 4/ 5	10	17
	26/ 32	2/ 5	10	17

2. Evaluated characteristics in accordance with the national requirements

Characteristic	Declaration requirement
Appearance	According to BDS EN ISO 21003-2:2008 item 6.1.
Geometrical characteristics, mm	According to the application class According to BDS EN ISO 21003-2:2008
Hydrostatic strength (95 °C, 165 h)	≥ 165h without damage According to BDS EN ISO 21003-2:2008
Delamination resistance, N/cm	No delamination $F_{pull} \geq 15$ According to BDS EN ISO 21003-2:2008

Place of issuance: Sofia
Date: 13.05.2023

CEO:
(Dipl. Ing. Alexander Marinchev)
BULAQUA STANDART